


Python 3

Some material adapted
from Upenn cis391
slides and other sources

Importing and Modules



Importing and Modules

- Use classes & functions defined in another file
- A Python module is a file with the same name (plus the *.py* extension)
- Like Java *import*, C++ *include*
- Three formats of the command:

```
import somefile
```

```
from somefile import *
```

```
from somefile import className
```

- The difference? What gets imported from the file and what name refers to it after importing

import ...

```
import somefile
```

- *Everything* in somefile.py gets imported.
- To refer to something in the file, append the text “somefile.” to the front of its name:

```
somefile.className.method("abc")
```

```
somefile.myFunction(34)
```

```
Somefile.cut_off_threshold
```

*from ... import **

```
from somefile import *
```

- *Everything* in somefile.py gets imported
- To refer to anything in the module, just use its name. Everything in the module is now in the current namespace.
- *Take care!* Using this import command can easily overwrite the definition of an existing function or variable!

```
className.method("abc")
```

```
myFunction(34)
```

```
cut_off_threshold
```

from ... import ...

```
from somefile import className
```

- Only the item *className* in somefile.py gets imported.
- After importing *className*, you can just use it without a module prefix. It's brought into the current namespace.
- *Take care!* Overwrites the definition of this name if already defined in the current namespace!

```
className.method("abc") ← imported
```

```
myFunction(34) ← Not imported
```

```
cut_off_threshold
```

Directories for module files

- *Where does Python look for module files?*
- The list of directories where Python will look for the files to be imported is `sys.path`
- This is just a variable named 'path' stored inside the 'sys' module

```
>>> import sys
```

```
>>> sys.path
```

```
['', '/Library/Frameworks/Python.framework/Versions/2.5/lib/python2.5/site-packages/setuptools-0.6c5-py2.5.egg', ...]
```

- To add a directory of your own to this list, append it to this list

```
sys.path.append( '/my/new/path' )
```

Import and reload

- The import **statement** will only load a module once
- This is a feature, since many modules might require a standard package like re
- If you import a module, and then edit it, you want to be able to read it in again
- You can not do this with import 😞
- You can do this with the reload **function** 😊


import

```
>>> import hw7
>>> hw7
<module 'hw7' from 'hw7.pyc'>
>>> import hw7
>>> reload(hw7)
<module 'hw7' from 'hw7.pyc'>
>>> dir(hw7)
['__builtins__', '__doc__', '__file__', '__name__', '__package__',
'amicable', 'amicable_pairs_between', 'divisors', 'even', 'hailstone',
'sum_mult_3_5', 'syllables', 'vowel']
>>> hw7.__file__
'hw7.pyc'
>>> hw7.__doc__
' UMBC 331 Spring 2010 HW7 -- YOURNAME HERE,
  YOURID@UMBC.EDU '
```

Subtle import/reload behavior

- Experiment with m.py
- Import m, edit file, reload(m)
- From m import *, edit file, reload m
- Python's namespaces are similar to Scheme's environments

Object Oriented Programming in Python: Defining Classes



It's all objects...

- Everything in Python is really an object.
 - We've seen hints of this already...

```
"hello".upper()  
list3.append('a')  
dict2.keys()
```
 - These look like Java or C++ method calls.
 - New object classes can easily be defined in addition to these built-in data-types.
- In fact, programming in Python is typically done in an object oriented fashion.

Defining a Class

- A *class* is a special data type which defines how to build a certain kind of object.
- The *class* also stores some data items that are shared by all the instances of this class
- *Instances* are objects that are created which follow the definition given inside of the class
- Python doesn't use separate class interface definitions as in some languages
- You just define the class and then use it

Methods in Classes

- Define a *method* in a *class* by including function definitions within the scope of the class block
- There must be a special first argument *self* in all of method definitions which gets bound to the calling instance
- There is usually a special method called *__init__* in most classes
- We'll talk about both later...

A simple class def: *student*

```
class student:  
    """A class representing a  
    student """  
    def __init__(self, n, a):  
        self.full_name = n  
        self.age = a  
    def get_age(self):  
        return self.age
```

Creating and Deleting Instances

Instantiating Objects

- There is no “new” keyword as in Java.
- Just use the class name with () notation and assign the result to a variable
- `__init__` serves as a constructor for the class. Usually does some initialization work
- The arguments passed to the class name are given to its `__init__()` method
- So, the `__init__` method for `student` is passed “Bob” and 21 and the new class instance is bound to `b`:

```
b = student("Bob", 21)
```

Constructor: `__init__`

- An `__init__` method can take any number of arguments.
- Like other functions or methods, the arguments can be defined with default values, making them optional to the caller.
- However, the first argument `self` in the definition of `__init__` is special...

Self

- The first argument of every method is a reference to the current instance of the class
- By convention, we name this argument *self*
- In `__init__`, *self* refers to the object currently being created; so, in other class methods, it refers to the instance whose method was called
- Similar to the keyword *this* in Java or C++
- But Python uses *self* more often than Java uses *this*

Self

- Although you must specify `self` explicitly when defining the method, you don't include it when calling the method.
- Python passes it for you automatically

Defining a method:

(this code inside a class definition.)

```
def set_age(self, num):  
    self.age = num
```


Calling a method:

```
>>> x.set_age(23)
```

Deleting instances: No Need to “free”

- When you are done with an object, you don't have to delete or free it explicitly.
- Python has automatic garbage collection.
- Python will automatically detect when all of the references to a piece of memory have gone out of scope. Automatically frees that memory.
- Generally works well, few memory leaks
- There's also no “destructor” method for classes

Access to Attributes and Methods



Definition of student

```
class student:
    """A class representing a student
    """
    def __init__(self,n,a):
        self.full_name = n
        self.age = a
    def get_age(self):
        return self.age
```

Traditional Syntax for Access

```
>>> f = student("Bob Smith", 23)
```

```
>>> f.full_name # Access attribute  
"Bob Smith"
```

```
>>> f.get_age() # Access a method  
23
```

Accessing unknown members

- Problem: Occasionally the name of an attribute or method of a class is only given at run time...

- Solution:

```
getattr(object_instance, string)
```

- **string** is a string which contains the name of an attribute or method of a class
- **getattr(object_instance, string)** returns a reference to that attribute or method

getattr(object_instance, string)

```
>>> f = student("Bob Smith", 23)
>>> getattr(f, "full_name")
"Bob Smith"
>>> getattr(f, "get_age")
<method get_age of class
studentClass at 010B3C2>
>>> getattr(f, "get_age")() # call it
23
>>> getattr(f, "get_birthday")
# Raises AttributeError - No method!
```

hasattr(object_instance,string)

```
>>> f = student("Bob Smith", 23)
```

```
>>> hasattr(f, "full_name")
```

```
True
```


```
>>> hasattr(f, "get_age")
```

```
True
```

```
>>> hasattr(f, "get_birthday")
```

```
False
```

Attributes



Two Kinds of Attributes

- The non-method data stored by objects are called attributes
- *Data* attributes
 - Variable owned by a *particular instance* of a class
 - Each instance has its own value for it
 - These are the most common kind of attribute
- *Class* attributes
 - Owned by the *class as a whole*
 - *All class instances share the same value for it*
 - Called “static” variables in some languages
 - Good for (1) class-wide constants and (2) building counter of how many instances of the class have been made

Data Attributes

- Data attributes are created and initialized by an `__init__()` method.
 - Simply assigning to a name creates the attribute
 - Inside the class, refer to data attributes using `self` —for example, `self.full_name`

```
class teacher:
    "A class representing teachers."
    def __init__(self, n):
        self.full_name = n
    def print_name(self):
        print self.full_name
```

Class Attributes

- Because all instances of a class share one copy of a class attribute, when *any* instance changes it, the value is changed for *all* instances
- Class attributes are defined *within* a class definition and *outside* of any method
- Since there is one of these attributes *per class* and not one *per instance*, they're accessed via a different notation:
 - Access class attributes using `self.__class__.name` notation
-- This is just one way to do this & the safest in general.

```
class sample:  
    x = 23  
    def increment(self):  
        self.__class__.x += 1
```


```
>>> a = sample()  
>>> a.increment()  
>>> a.__class__.x  
24
```

Data vs. Class Attributes

```
class counter:
    overall_total = 0
    # class attribute
    def __init__(self):
        self.my_total = 0
        # data attribute
    def increment(self):
        counter.overall_total = \
        counter.overall_total + 1
        self.my_total = \
        self.my_total + 1
```

```
>>> a = counter()
>>> b = counter()
>>> a.increment()
>>> b.increment()
>>> b.increment()
>>> a.my_total
1
>>> a.__class__.overall_total
3
>>> b.my_total
2
>>> b.__class__.overall_total
3
```

Inheritance



Subclasses

- Classes can *extend* the definition of other classes
 - Allows use (or extension) of methods and attributes already defined in the previous one
- To define a subclass, put the name of the superclass in parens after the subclass's name on the first line of the definition

```
Class Cs_student(student) :
```

- Python has no 'extends' keyword like Java
- Multiple inheritance is supported

Multiple Inheritance

- Python has two kinds of classes: old and new (more on this later)
- Old style classes use *depth-first, left-to-right* access
- New classes use a more complex, dynamic approach

```
class AO(): x = 0
class BO(AO): x = 1
class CO(AO): x = 2
class DO(BO,CO): pass

ao = AO()
bo = BO()
co = CO()
do = DO()
```

```
>>> from mi import *
>>> ao.x
0
>>> bo.x
1
>>> co.x
2
>>> do.x
1
>>>
```

Redefining Methods

- To *redefine a method* of the parent class, include a new definition using the same name in the subclass
 - The old code won't get executed
- To execute the method in the parent class *in addition to* new code for some method, explicitly call the parent's version of method

```
parentClass.methodName (self, a, b, c)
```

- The only time you ever explicitly pass 'self' as an argument is when calling a method of an ancestor

Definition of a class extending student

```
Class Student:  
    "A class representing a student."  
  
    def __init__(self,n,a):  
        self.full_name = n  
        self.age = a  
  
    def get_age(self):  
        return self.age
```

```
Class Cs_student (student):  
    "A class extending student."  
  
    def __init__(self,n,a,s):  
        student.__init__(self,n,a) #Call __init__ for student  
        self.section_num = s  
  
    def get_age(): #Redefines get_age method entirely  
        print "Age: " + str(self.age)
```

Extending `__init__`

Same as redefining any other method...

- Commonly, the ancestor's `__init__` method is executed in addition to new commands
- You'll often see something like this in the `__init__` method of subclasses:

```
parentClass.__init__(self, x, y)
```

where `parentClass` is the name of the parent's class

Special Built-In Methods and Attributes

Built-In Members of Classes

- Classes contain many methods and attributes that are always included
 - Most define automatic functionality triggered by special operators or usage of that class
 - Built-in attributes define information that must be stored for all classes.
- All built-in members have double underscores around their names:

`__init__` `__doc__`

Special Methods

- E.g., the method `__repr__` exists for all classes, and you can always redefine it
- `__repr__` specifies how to turn an instance of the class into a string
 - `print f` sometimes calls `f.__repr__()` to produce a string for object `f`
 - Typing `f` at the REPL prompt calls `__repr__` to determine what to display as output

Special Methods – Example

```
class student:  
    ...  
    def __repr__(self):  
        return "I'm named " + self.full_name  
    ...
```

```
>>> f = student("Bob Smith", 23)
```

```
>>> print f
```

```
I'm named Bob Smith
```

```
>>> f
```

```
"I'm named Bob Smith"
```

Special Methods

- You can redefine these as well:

`__init__` : The constructor for the class

`__cmp__` : Define how `==` works for class

`__len__` : Define how `len (obj)` works

`__copy__` : Define how to copy a class

- Other built-in methods allow you to give a class the ability to use `[]` notation like an array or `()` notation like a function call

Special Data Items

- These attributes exist for all classes.

`__doc__` : Variable for documentation string for class

`__class__` : Variable which gives you a reference to the class from any instance of it

`__module__` : Variable which gives a reference to the module in which the particular class is defined

`__dict__` : The dictionary that is actually the namespace for a class (but not its superclasses)

- Useful:

- **`dir(x)` returns a list of all methods and attributes defined for object `x`**

Special Data Items – Example

```
>>> f = student("Bob Smith", 23)
```

```
>>> print f.__doc__
```

```
A class representing a student.
```

```
>>> f.__class__
```

```
< class studentClass at 010B4C6 >
```

```
>>> g = f.__class__("Tom Jones",  
34)
```

Private Data and Methods

- Any attribute/method with two leading underscores in its name (but none at the end) is **private** and can't be accessed outside of class
- Note: Names with two underscores at the beginning *and the end* are for built-in methods or attributes for the class
- Note: There is no 'protected' status in Python; so, subclasses would be unable to access these private data either