

Exploring Wikidata Through Queries

Subclasses of Q5 (Human)

```
# how many direct or indirect sub-classes of  
# the Human class are there  
  
SELECT (count (distinct ?Type) as ?number)  
WHERE {  
    ?Type wdt:P279* wd:Q5 .  
}
```

[Try it](#)

Distinct Instances of Q5 (Human)

```
# how many individuals of the Human class?  
SELECT (count (distinct ?Instance) as ?number)  
WHERE {  
    ?Instance wdt:P31/wdt:P279* wd:Q5 .  
}
```

[Try it](#)

Instances of Q5 (Human)

```
# how many individuals of the Human class?  
SELECT (count (?Instance) as ?number) WHERE {  
  ?Instance wdt:P31/wdt:P279* wd:Q5 .  
}
```

[Try it](#)

10,298,074 after 32 seconds

Instances of Q5 (Human)

```
# how many individuals of the Human class
SELECT (count (?Instance) as ?number)
WHERE {
    wd:Q5 ^wdt:279*/^wdt:P31 ?Instance .
}
```

[Try it](#)

10,297,610 after 32 seconds

How many properties (1)

```
# how many properties?  
SELECT (count (distinct ?P) as ?number)  
WHERE {  
  ?S ?P ?O.  
}
```

[Try it](#)

How many properties (2)

```
# how many properties?  
SELECT (count (distinct ?P) as ?number)  
WHERE {  
  ?P wdt:P31/wdt:P279* wd:Q18616576.  
}
```

[Try it](#)