## CMSC 341 Data Structures Hashing Review

These questions will help test your understanding of the Graph material discussed in class and in the text. These questions are only a study guide. Questions found here may be on your exam, although perhaps in a different format. Questions NOT found here may also be on your exam.

- 1. What is a hash function? Name two desirable properties of a hash function.
- 2. Define **collision** in a hash table.
- 3. What is the **clustering** problem in hash tables?
- 4. Describe the **division method** for generating hash values.
- 5. Describe the **multiplication method** for generating hash values.
- 6. Define Fibonacci hashing.
- 7. Describe the **separate chaining** collision resolution method.
- 8. Describe the **open addressing** collision resolution method.
- 9. Given a hash table of size 13, show the contents of your hash table after inserting the values  $\{8, 2, 7, 18, 15, 19, 23, 15, 20, 16\}$  using open addressing with linear probing (f(i) = i) for collision resolution.
- 10. Repeat question 9, using open addressing with quadratic probing ( $f(i) = i^2$ ) for collision resolution.
- 11. Repeat question 9 using separate chaining for collision resolution.
- 12. The average time performance of the insertion and searching operations on a hash table is O(1), which is much better than the performance of a binary search tree for the same operations. Given this wonderful performance of hash tables as compared to binary search trees, when would you want to use a binary search tree instead of a hash table?

13. In a hash table using open addressing with linear probing, the average number of probes for successful search, S, and unsuccessful search (or insertion), U, are

$$S \approx \frac{1}{2}(1 + \frac{1}{1 - \lambda})$$
  $U \approx \frac{1}{2}(1 + \frac{1}{(1 - \lambda)^2})$ 

where  $\lambda$  is the load factor of the table. Suppose you want a hash table that can hold at least 1000 elements and you want successful searches to take no more than 4 probes on average.

- a. What is the maximum load factor you can tolerate in your hash table?
- b. If the table size must be prime, what is the smallest table size you can use?
- c. Based on your answers to (a) and (b), what is the average number of probes to perform an insertion?