

CMSC 341

Java Review

Running and Compiling Java



JRE contains class libraries which are loaded at runtime.

Methods in Java

The *main* method has a specific signature.


- Example: “Hello world!” Program in Java

```
public class Hello
{
    public static void main(String args[])
    {
        System.out.println("Hello world!");
    }
} ← Notice no semi-colon at the end!
```

Data Types

- There are two types of data types in Java – primitives and references.
- Primitives are data types that store data.
- References store the address of an object, which is encapsulated data.

```
int x = 5;
```




```
Date d = new Date();
```



Arrays

- Arrays in Java are objects. The first line of code creates a reference for an array object.
- The second line creates the array object.

```
int [] arrayRef;  
arrayRef = new int[5];  
arrayRef[2] = 5;
```




- All arrays have a `length` property that gives you the number of elements in the array.
 - `args.length` is determined at runtime

Arrays (cont.)


- An array of objects is an array of object references until the objects are initialized.

```
Point pArray [] = new Point[5];  
pArray[2] = new Point();
```



Multidimensional Arrays

- A pictorial rendition of twodim2.



Java Naming Conventions

- **Classes and Interfaces**

`StringBuffer, Integer, MyDate`

- **Identifiers for methods, fields, and variables**

`_name, getName, setName, isName, birthDate`

- **Packages**

`java.lang, java.util, proj1`

- **Constants**

`PI, MAX_NUMBER`

Comments

- Java supports three types of comments.

- C style `/* multi-liner comments */`

- C++ style `// one liner comments`











- Javadoc

- `/**`

- This is an example of a javadoc comment. These comments can be converted to part of the pages you see in the API.

- `*/`

Access Control

Modifier	Same class	Same package	Subclass	Universe
private				
default				
protected				
public				

Access Control for Classes

- Classes may have either public or package accessibility.
- Only one public class per file.
- Omitting the access modifier prior to class keyword gives the class package accessibility.

Classes

- In Java, all classes at some point in their inheritance hierarchy are subclasses of `java.lang.Object`, therefore all objects have some inherited, default implementation before you begin to code them.
 - `String toString()`
 - `boolean equals(Object o)`

Inheritance in Java

- Inheritance is implemented using the keyword `extends`.

```
public class Employee extends Person
{
    //Class definition goes here - only the
    //implementation for the specialized behavior
}
```

- A class may only inherit from only one superclass.
- If a class is not derived from a super class then it is derived from *java.lang.Object*. The following two class declarations are equivalent:

```
public class Person {...}
public class Person extends Object {...}
```

Polymorphism

- If Employee is a class that extends Person, an Employee “is-a” Person and polymorphism can occur.



Creates an array of Person references

```
Person [] p = new Person[2];
```

```
p[0] = new Employee();
```

```
p[1] = new Person();
```

Polymorphism (cont.)

- However, a Person is not necessarily an Employee. The following will generate a compile-time error.

```
Employee e = new Person();
```


- Polymorphism requires general class on left of assignment operator, and specialized class on right.
- Casting allows you to make such an assignment provided you are confident that it is ok.

```
public void convertToPerson(Object obj)
{
    Person p = (Person) obj;
}
```

Abstract Classes and Methods

- Java also has abstract classes and methods. If a class has an abstract method, then it must be declared abstract.

```
public abstract class Node{  
    String name;  
    public abstract void type();  
    public String toString(){ return name;}  
    public Node(String name){  
        this.name = name;  
    }  
}
```

 Abstract methods have no implementation.

More about Abstract Classes

- **Abstract classes can not be instantiated.**

```
// OK because n is only a reference.
```

```
Node n;
```

```
// OK because NumberNode is concrete.
```

```
Node n = new NumberNode("Penta", 5);
```

```
// Not OK. Gives compile error.
```

```
Node n = new Node("Name");
```

Inner Classes

- It's possible to define a class within another class definition. This is called an *inner class* and is a technique we'll use in this course.
- There are many reasons to define an inner class and many rules regarding inner classes.
- For our purposes, we're interested in code-hiding. Users of the outer class can't access a private inner class.
- The inner class has a "link" to the outer class.
 - The inner class can access members of the outer class

Inner Class Example

```
public class Package {
    private boolean rushOrder;
    private String label;
    private class Contents {
        private int value;
        public Contents (int value) {this.value = value;}
        public int getValue( ) { return value; }
    }
    private class Destination {
        private String address;
        public Destination( String whereTo ) { address = whereTo; }
        public String getAddress( ) { return address; }
        public String toString( )
        {
            return label + "sent to " + address;
        }
    }
}
```

Interfaces

- An *interface* is like class without the implementation. It contains only
 - public, static and final fields, and
 - public and abstract method headers (no body).
- A public interface, like a public class, must be in a file of the same name.

Interface Example

- The methods and fields are implicitly public and abstract by virtue of being declared in an interface.

```
public interface Employable
{
    void raiseSalary(double d);
    double getSalary();
}
```

Interfaces (cont.)

- Many classes may implement the same interface. The classes may be in completely different inheritance hierarchies.
- A class may implement several interfaces.

```
public class TA extends Student
implements Employable
{
    /* Now TA class must implement the getSalary
       and the raiseSalary methods here */
}
```

The Collections Framework

- Is a collection of interfaces, abstract and concrete classes that provide generic implementation for many of the data structures you will be learning about in this course.

Generics

- A class that is defined with a parameter for a type is called a generic or a parameterized class.

Collection <E> Interface

- The E represents a type and allows the user to create a homogenous collection of objects.
- Using the parameterized collection or type, allows the user to retrieve objects from the collection without having to cast them.

Before:

```
List c = new ArrayList();  
c.add(new Integer(34));  
Integer i = (Integer) c.get(0);
```

After:

```
List<Integer> c = new ArrayList<Integer>();  
c.add(new Integer(34));  
Integer i = c.get(0);
```

Implementing Generic Classes

- In the projects for this course, you will be implementing your own parameterized generic classes.
- The Cell class that follows is a small example of such a class.

Generic Cell Example

```
public class Cell< T >
{
    private T prisoner;
    public Cell( T p)
        { prisoner = p; }
    public T getPrisoner(){return prisoner; }
}

public class CellDemo
{
    public static void main (String[ ] args)
    {
        // define a cell for Integers
        Cell<Integer> intCell = new Cell<Integer>( new Integer(5) );

        // define a cell for Floats
        Cell<Float> floatCell = new Cell<Float>( new Float(6.7) );

        // compiler error if we remove a Float from Integer Cell
        Float t = (Float)intCell.getPrisoner( );
        System.out.println(t);
    }
}
```

Dont's of Generic Programming

- You **CANNOT** use a type parameter in a constructor.

~~T obj = new T ();~~

- You **CANNOT** create an array of a generic type.

~~T [] array = new T [5];~~

Do's of Generic Programming

- The type parameter must always represent a reference data type.
- Class name in a parameterized class definition has a type parameter attached.

```
class Cell<T>
```

- The type parameter is not used in the header of the constructor.

```
public Cell( )
```

- Angular brackets are not used if the type parameter is the type for a parameter of the constructor.

```
public Cell3(T prisoner );
```

- However, when a generic class is instantiated, the angular brackets are used

```
List<Integer> c = new ArrayList<Integer>();
```

The Arrays class

- The `java.util.Arrays` class is a utility class that contains several static methods to process arrays of primitive and reference data.
 - *binarySearch* – searches sorted array for a specific value
 - *equals* – compares two arrays to see if they contain the same elements in the same order
 - *fill* – fills an array with a specific value
 - *sort* – sorts an array or specific range in array in ascending order according to the natural ordering of elements

Natural Order

- The natural order of primitive data types is known. However, if you create an `ArrayList` or `Array` of some object type, how does the *sort* method know how to sort the array?
- To be sorted, the objects in an array must be comparable to each other.

The Comparable<T> Interface


- The Comparable<T> interface defines just one method to define the natural order of objects of type T

```
public interface java.lang.Comparable<T>
{
    int compareTo(T obj);
}
```

- *compareTo* returns
 - ❑ a negative number if the calling object precedes *obj*
 - ❑ a zero if they are equal, and
 - ❑ a positive number if *obj* precedes the calling object

Comparable Example

```
import java.util.*;
public class Fraction implements Comparable<Fraction>
{
    private int n;
    private int d;
    public Fraction(int n, int d){ this.n = n; this.d = d;}
    public int compareTo(Fraction f)
    {
        double d1 = (double) n/d;
        double d2 = (double) f.n/f.d;
        if (d1 == d2)
            return 0;
        else if (d1 < d2)
            return -1;
        return 1;
    }
    public String toString() { return n + "/" + d; }
}
```



**Casting required
for floating point
division**

Sort Example

```
public class FractionTest
{
    public static void main(String []args)
    {
        Fraction [] array = {new Fraction(2,3),
                             new Fraction (4,5), new Fraction(1,6);
        Arrays.sort(array);
        for(Fraction f :array)
            System.out.println(f);
    }
}
```

Bounding the Type

- You will see in the API a type parameter defined as follows `<? extends E>`. This restricts the parameter to representing only data types that implement E, i.e. subclasses of E

```
boolean addAll(Collection<? extends E> c)
```

Bounding Type Parameters

- The following restricts the possible types that can be plugged in for a type parameter **T**.

```
public class RClass<T extends Comparable<T>>
```

- "`extends Comparable<T>`" serves as a *bound* on the type parameter **T**.
- Any attempt to plug in a type for **T** which does not implement the `Comparable<T>` interface results in a compiler error message

More Bounding

- In the API, several collection classes contain `<? super T>` in the constructor. This bounds the parameter type to any class that is a supertype of `T`.

`TreeSet(Comparable<? super T> c)`

Generic Sorting

```
public class Sort
{
    public static <T extends Comparable<T>>
    void bubbleSort(T[] a)
    {
        for (int i = 0; i < a.length - 1; i++)
            for (int j = 0; j < a.length - 1 - i; j++)
                if (a[j+1].compareTo(a[j]) < 0)
                {
                    T tmp = a[j];
                    a[j] = a[j+1];
                    a[j+1] = tmp;
                }
    }
}
```

Generic Sorting (cont.)

- Given the following:

```
class Animal implements Comparable<Animal> { ... }
```

```
class Dog extends Animal { ... }
```

```
class Cat extends Animal { ... }
```

- Now we should be able to sort dogs if contains the *compareTo* method which compares animals by weight.
- BUT... bubblesort only sorts objects of type T which implements Comparable<T>. Here the super class implements Comparable.... HENCE, we can't use bubblesort for Cats or Dogs
- New and improved sort on next page can handle sorting Dogs and Cats.

Generic Sorting (cont.)

```
public class Sort
{
    public static <T extends Comparable<? super T>>
    void bubbleSort(T[] a)
    {
        for (int i = 0; i < a.length - 1; i++)
            for (int j = 0; j < a.length - 1 - i; j++)
                if (a[j+1].compareTo(a[j]) < 0)
                {
                    T tmp = a[j];
                    a[j] = a[j+1];
                    a[j+1] = tmp;
                }
    }
}
```