

wrap up

Chapter 9

Some material adopted from notes by Andreas Geyer-Schulz, Chuck Dyer, and Mary Getoor

Prolog: logic programming language based on Horn clauses

- Resolution refutation
- Control strategy: goal-directed and depth-first
 - -always start from the goal clause
 - -always use new resolvent as one of parent clauses for resolution
 - -backtracking when the current thread fails
 - -complete for Horn clause KB
- Supports answer extraction (can request single or all answers)
- Orders clauses & literals within a clause to resolve nondeterminism
 - -Q(a) may match both $Q(x) \le P(x)$ and $Q(y) \le R(y)$
 - -A (sub)goal clause may contain >1 literals, i.e., <= P1(a), P2(a)
- Use "closed world" assumption (negation as failure)
 - -If it fails to derive P(a), then assume $\sim P(a)$

Summary

- Logical agents apply inference to KB to derive new information and make decisions
- Basic concepts of logic:
 - Syntax: formal structure of sentences
 - Semantics: truth of sentences wrt models
 - Entailment: necessary truth of one sentence given another
 - Inference: deriving sentences from other sentences
 - Soundness: derivations produce only entailed sentences
 - Completeness: derivations produce all entailed sentences
- FC and BC linear time, complete for Horn clauses
- Resolution is sound and complete for propositional and first-order logic